



番茄酱及果汁、果酱加工整厂设备

PROFESSIONAL SUPPLIER OF TOMATO PASTE
AND FRUIT JUICE/PASTE PROCESS PLANT



至诚帮助客户，助其成功
至诚关爱员工，共享成就

Sincerely help customers to achieve success
Sincerely care employees to share achievements
info@shsunshineco.com
www.shsunshineco.com



熙汇机械（上海）有限公司
熙程机械（南通）有限公司
工厂地址：江苏省南通市如皋市丁堰镇工业区
电话：0086-18301859083
邮箱：info@shsunshineco.com
网址：www.shsunshineco.com

SHANGHAI SUNSHINE INDUSTRIES CO., LTD.
SUNSHINE MACHINERY (SHANGHAI) CO., LTD.
FACTORY SITE: Nantong City, Jiangsu Province, P.R.China
MOBILE/WHATSAPP: 0086 18301859083
EMAIL: info@shsunshineco.com
WEBSITE: www.sunshineco.com



用领先技术为您量身度作
Leading Technology, Individual Solution

公司简介

COMPANY PROFILE



熙汇机械（上海）有限公司为高科技股份制企业，由具多年行业经验的技术工程师组建而成。专业从事于浓缩果汁果酱加工、水果蔬菜加工、热带水果加工、热灌装饮料（果汁/茶饮料）、调味酱、乳制品等流体食品加工之整厂设备的设计研发，生产制造，安装调试，技术服务及整个项目的交钥匙工程。我们传承原上海轻工机械集团前卫机械厂技术实力与丰富经验，广泛吸收国外先进技术和理念，曾先后与意大利、德国、美国、台湾等诸多公司联手合作，不断自主创新，并依托高校如江苏大学，华中农大等科研院所的平台，以确保我们在工艺技术上的领先水平；如在果汁果酱加工上，通过与意大利CFT公司等多年技术合作与自我创新，我们

在通过超级热破碎技术生产高粘度产品，多效节能低温真空浓缩，无菌大袋灌装等方面取得了独创性的技术优势。我们可根据客户需求提供每天处理20-1500吨原果的整条生产线。

从单机到整线，从实验室设备，小试/中试生产线到大型工业化生产线，我们都十分乐意并完全有能力根据您的需求和实际情况给您提供最专业，最科学，最经济，最理性、最节能环保的个性化解决方案。我们一直坚持“工艺优先，工艺为产品服务，设备为工艺服务”的原则；在设备设计上，我们一直坚持“功能要完善，构造要简单，操作要方便，维修成本要低”的设计原则。始终坚持“思利及人、共同成长”的企业发展理念，致力于用我们的专业、经验和优良的服务给客户个性化的解决方案，并使之能为其创造价值。始终坚持以质量和服务树品牌的宗旨，经过多年的努力，公司以优越的性价比，优良的售后服务已在国内树立了良好的形象，同时公司产品也广泛渗入东南亚、中东、非洲、南美洲、欧洲等海外市场。做“中国的食品工程工艺专家”是熙汇机械一直追求的目标，我们愿与各位同仁携手共进，为世界食品工业发展贡献力量。

As an advanced high-tech enterprise, SUNSHINE is committing itself to leading technology, high quality product, powerful customized solutions and superior service for the world's food processor, suppliers and all other customers. We are specialized in supplying the whole plants' of machinery & engineering concerning fruit/vegetable process, juice drink/ beverage/ ketchup/sauce/dairy product and other liquid food process from A to Z on customized turn-key solutions including advanced design, R&D, manufacturing, installation & commissioning, technical training and after-sales service.

SUNSHINE is committed to the following main fields.



- ◆ TOMATO PASTE PLANT
- ◆ TROPICAL FRUIT PUREE/JUICE/CONCENTRATE PLANT (mango/pineapple/guava/papaya/banana/passion fruit, etc.)
- ◆ FRUIT/VEGETABLE PROCESS PLANT
(apple/pear/orange/peach/apricot/grape/melon/berry/coconut/sea-buckthorn/aloe/carrot/chilli/ginger/onion, etc.)
- ◆ JUICE DRINK/TEA DRINK/SOFT DRINK/PURE WATER/OTHER BEVERAGE PLANT
- ◆ TOMATO KETCHUP/MAYONNAISE/SAUCE PLANT
- ◆ ASEPTIC BAG FILLING SYSTEM (for tomato paste, mango puree, NFC, orange juice concentrate, other fruit juice/puree/paste concentrate, cream, etc.)
- ◆ VACUUM EVAPORATION/DISTILLATION SYSTEM (for tomato paste, mango puree, orange juice, pineapple juice, other fruit juice/puree/paste, honey, alcohol, etc.)
- ◆ FOOD CLASS TANKS (storage tank, mixing tank, rapid shearing tank, jacketed tank, fermentation tank)

SUNSHINE has gained a good reputation in China but also exported products worldwide to the countries such as Southeast Asia (India, Philippines, Thailand, Japan, South Korean, etc.), the Middle East (Yemen, U.A.E., Saudi Arabia, etc.), Africa (Nigeria, Algeria, Tanzania, Morocco, Ethiopia, Djibouti, South Africa, etc.), South America (Ecuador, Suriname, etc.), Australia, etc.

In adherence to the philosophy of “Creating Value with Powerful Customized Solutions” for each customer and “Together We Grow”, SUNSHINE is greatly willing to have a pleasant cooperation with your esteemed company and to contribute its rich experiences, professional technologies and skilled technicians to the implementation of your project.

番茄酱典型加工工艺流程


TYPICAL TOMATO PASTE PROCESS FLOW



番茄酱流程示意图

Universal Lines for Production and Aseptic Filling of Tomato Paste and Concentrates


番茄酱分装生产线加工工艺流程 TOMATO PASTE DILUTION AND DISTRIBUTION FLOW



浓缩果汁加工工艺 FRUIT JUICE CONCENTRATE PROCESS FLOW



浓缩果汁流程示意图 Universal Lines for Production and Aseptic Filling of Fruit Juice and Concentrates



水果前处理系统 FRUIT RECEIVING AND PRE-TREATMENT SYSTEM

前处理系统包括提升、清洗、拣果、破碎、预热灭酶、打浆精制等过程
Include fruit lifting, washing, sorting, crushing, pre-heating, pulping & refining, etc.

刮板式提升机 BUCKET ELEVATOR

用于番茄、草莓、苹果、芒果、菠萝、桃子、杏子等水果的低位或高位提升。不锈钢支架，食品级硬质塑料或不锈钢刮板，防卡果平滑刮板渗水结构；运行稳定，噪音低。采用国外进口防腐轴承，双面密封；运行成本低，可变频调速。

Suitable for the low or high level lifting of tomato, strawberry, apple, mango, pineapple, pear, apricot, etc.
Stainless steel bracket, food class hard plastic or stainless steel bucket. Smooth bucket structure against clamping fruits, and water-penetrated structure to discharge water on the surface of fruits: chain drive, running stably with low noise; speed adjustable by transducer.
Double sides sealing by means of imported anticorrosive bearings.
Chain drive, running stably with low noise; speed adjustable by transducer.
Pin connection between bucket and bucket instead of the traditional screw connection to avoid efficiently the falling of the screw into the fruit and then destroy the screen inside the pulper.



浮洗机 AIR BLOWING & WASHING MACHINE

用于番茄、草莓、苹果、芒果等水果的清洗。
独特鼓泡冲浪式设计，使物料在清洗的同时不断翻滚，从而既保证物料得以彻底清洗，也把物料损伤率降到了最低。全优质不锈钢制造；进口轴承，双面密封；欧姆龙、施耐德等知名电气元件控制。



Suitable for the washing of many kinds of fruit and vegetable such as tomato, strawberry, apple, mango, etc.
Special design of surfing and bubbling to ensure a thorough cleaning and lessening the damage to the fruit as well.
Bubble up continuously like boiling style to make the fruit roll during washing for a thorough cleaning. The fruit will be floating and soil, sand and stone will sink down through a screen in bottom.



水果前处理系统 FRUIT RECEIVING AND PRE-TREATMENT SYSTEM

❖ 拣果机 FRUIT SORTER

用于番茄、草莓、苹果、芒果等水果的人工挑拣。

主体为不锈钢结构；防卡果滚轮输送，确保水果在向前输送的同时自转，从而最大限度防止漏拣和卫生死角。带前置喷淋装置，进一步在水果自转的同时对水果进行清洗。运行稳定，噪音低，可变频调速。

Used to manually choose the fruit such as tomato, strawberry, apple, mango, etc.

Main structure with stainless steel.

Smooth roller conveying make the fruit rotate along with the forwarding, which will greatly avoid the choose negligence.

Spay high speed water through several groups of spraying heads on top to wash fruits further in the course of conveying and rotation.

Running stably with low noise and speed variable.



❖ 提升、洗果、拣果联动机 FRUIT LIFTING/WASHING/SORTING COMBINER

用于番茄、草莓、苹果、芒果等水果的清洗，高位提升和拣果。主体为不锈钢结构；结构紧凑，将洗果、提升、拣果三个功效集于一体，联动操作，集中控制。鼓泡冲浪式洗果；防卡果不锈钢滚轮输送；运行稳定，噪音低，可变频调速。

Used to wash, high level elevate and sort the fruits such as tomato, strawberry, apple, mango, etc.

Compacted structure, integrate washing, elevating and sorting in one machine for simultaneous operation and control.

Surfing and bubbling style washing, stainless steel roller conveying against clamping the fruit.

Stable running, low noise and variable speed.



水果前处理系统 FRUIT RECEIVING AND PRE-TREATMENT SYSTEM

❖ 破碎机 FRUIT CRUSHER


用于将水果蔬菜等原料破碎成小直径的颗粒，方便后续操作。与水果物料接触部分为优质不锈钢材质。

融合意大利技术，多组交叉刀片式结构，破碎尺寸根据客户或具体项目要求可调，相对传统结构有效提高原汁萃取率2-3%。

Used to crush the fruit from whole into piece to meet the requirements for the following process. The diameter of pieces is adjustable as per the requirements of the specified project.

Stainless steel in contact with fruit.

Incorporated Italian technology, special structure of mobile cross multi-knives groups insides which can improve the effective extraction rate about 2-3% than the traditional structure.




❖ 预热灭酶器 PREHEATER

应用于破碎物料的灭酶护色、组织软化及巴氏杀菌，是影响最终产品组织形态，粘度和色泽的重要环节。自动物料回流设计，自动控制温度，出口温度可调节。多管式结构。

Used to inactivate the pectic enzyme, pasteurize and soften the fruit as well, which is an important step to influence the texture, viscosity and color of the final product.

Auto temperature control and the outlet temperature is adjustable.

Multi-tubular structure with end cover





水果前处理系统 FRUIT RECEIVING AND PRE-TREATMENT SYSTEM

❖ 打浆精制机 PEELING, PULPING AND REFINING MONOBLOC

主要用于番茄、草莓、香蕉、山楂、杏等果蔬的去皮、去籽、打浆、精制，以达到浆渣分离的目的。与物料接触部分为优质不锈钢材质。融合意大利技术，独特锥形筛网结构，有效提高原汁萃取率2-3%。内部筛网孔径根据客户或具体项目要求进行订制，从而得到不同要求的产品。

Used for the peeling, seed removing, pulping and refining the fruits such as tomato, strawberry, banana, hawthorn, apricot, etc. to extract the raw fruit pulp out.

High quality stainless steel material in contact with product.

Incorporated Italian technology, special conical type screen structure which can improve the effective extraction rate about 2-3% than the traditional turbo structure.

The diameter of screen insides can be customized as per the specified project requirements to produce different product.



❖ 储罐 STORAGE TANK



全不锈钢制作，敞口锥底式结构。内外抛光300目。可根据项目具体要求配置液位控制

Made of stainless steel, open top and conical bottom structure.

Polishing welding line inside and outside, 300 mesh.

Mounted level control according to the project's requirements.

❖ 螺旋预煮机 SCREW SCALDER

全不锈钢制作，螺旋送料，设有安全保温层水浴式连续蒸煮，用于对果蔬的灭酶软化，如芒果、杏、桃、李等

Made of stainless steel with safety insulated layer
Screw conveying and water bathing continuous scalding.

To deactivate the enzyme and soften the fruits such as mango, apricot, peach, plum, etc.



水果前处理系统 FRUIT RECEIVING AND PRE-TREATMENT SYSTEM

❖ 去核打浆机 DESTONING, PULPING AND REFINING MONOBLOC



用于果蔬类物料的打浆，去皮，去核；特别适用于芒果、杏、桃、李等核果类水果的加工。

Used to pulp, peel and destone the fruit, specially for mango, apricot, peach, plum and other stone fruits.

❖ 带式榨汁机 BELT PRESS

主要用于菠萝、番石榴、苹果、梨、西番莲等水果的榨汁，原汁萃取率达70%以上。

Used to extract the raw juice from pineapple, guava, passionflower and other fruits with high extraction efficiency up to 70%.



❖ 柑橘专用榨汁机 CITRUS JUICE EXTRACTOR

专用于柑橘类水果的取汁。

Specially for juice extraction from citrus fruits such as mandarine, orange, lemon, grapefruit.





融合意大利技术，采用欧洲标准；经过我司多年在新疆、内蒙古等地多条生产线的实际运用，具备了设计制造蒸发量为300L-35000L的单效、二效、三效以及多效蒸发器的能力。

专为水果蔬菜汁/酱的浓缩设计；在真空条件下，连续低温浓缩，确保物料中有效成分的最少流失。

主体结构为优质不锈钢材料；由管式加热器、真空蒸发室、多级冷凝器、泵浦（物料循环泵/进出料泵/真空泵/水泵）、自动PLC控制系统、相关阀组和检测仪表、操作平台等部件组成。

具有结构紧凑，运行稳定，生产效率高，节能等优点。

Incorporated Italian technology and made as per Euro standard.

The processing capacity ranging from 300L to 35000L water evaporated per hour by means of single effect or double effect or tri-effect or multi-effect vacuum evaporator.

Specially used for fruit & vegetable juice/paste's concentration.

Continuous low-temp evaporation under vacuum to ensure the least loss of the efficient substance insides.

Main structure made by stainless steel.

Be composed of tubular heater, vacuum evaporation chamber, multi-stage condenser, pumps (product circulation pump, product input & outlet pump, vacuum pump, water pump), auto PLC control system, valves, meters & gauges, operation platform, etc.

Compacted structure, stable running, high efficiency and energy-saved performance.

根据适用产品不同，可大致分为两种：强制外循环真空蒸发器和降膜式真空蒸发器。

According to the different product application, there are two kinds: forced external circulated evaporator and falling film style evaporator.


❖ 强制外循环真空蒸发器

FORCED EXTERNAL CIRCULATED EVAPORATOR

专业适宜于果酱（番茄酱/桃酱/杏酱/草莓酱/辣椒酱等）、糖浆等高粘度物料的浓缩。可以根据客户的要求把番茄酱从4.5-5.5%Brix浓缩到28-30%Brix，30-32%Brix或36-38%Brix。

Specially suitable for fruit paste (tomato paste/peach jam/apricot jam/strawberry paste/chilli paste, etc.), syrup and other high-viscosity product.

The tomato paste can be concentrated from 4.5-5.5%Brix to 28-30%Brix or 30-32%Brix or 36-38%Brix according to different customers' requirements.



❖ 降膜式真空蒸发器

FALLING FILM STYLE EVAPORATOR

适宜用果汁、牛奶等低粘度物料的浓缩。

Specially suitable for juice, milk and other low-viscosity product.



❖ 套管式杀菌机 TUBE IN TUBE MONOBLOCK ASEPTIC STERILIZER

套管式杀菌机采用四层套管结构，以过热水为加热介质对物料进行加热杀菌，然后利用冷却水或冰水对杀菌好的物料进行冷却。热交换介质在最内两层和最外层管中流动，物料在中间一层管中反向流动，从而保证最大的热交换面积和效率，物料内部温度均匀，对物料进行充分杀菌。

分加热段，持温段和冷却段。

全自动PLC控制系统和人机界面操作系统，实时掌握和控制设备运行状况。

和无菌灌装机同步进行CIP和SIP。

专业用于番茄酱、桃酱、杏酱、芒果酱、香蕉酱、浓缩橙汁、浓缩菠萝汁、糖浆等高粘度物料的超高温杀菌。

自动报警和诊断系统。如杀菌不彻底或后面灌装机出现问题，物料将自动回流

Four layer concentric tubular structure, the inner two layers and the outside layer go through heat exchange medium and the middle for product to maximize the heat exchanging area and efficiency, make the temperature even and then thoroughly sterilize the product.

Divided into three stages. Heat the product by superheated water till the sterilizing temp and hold the product under this temperature for some time to fully sterilize the product, and then cool down the product by cooling water or chilled water.



Full made of food sanitary stainless steel.

Full auto PLC control system, HMI(Human Machine Interface(English/Chinese) operation and manual buttons as standby, which can ensure the real-time monitoring the running situation.

Full auto CIP(clean in place) and SIP(sterilize in place) available simultaneously together with aseptic filler.

Specially suitable for high viscous product such as tomato paste, pear/apricot paste, mango puree/banana puree, citrus/orange juice concentrate, pineapple juice concentrate, syrup, etc.

Auto alarm and diagnose system. The product will automatically return in case of deficient sterilization or some stop on the aseptic filler.



❖ 无菌灌装机（单头/双头） AUTOMATIC ASEPTIC BAG FILLER (single or double filling heads)

融合意大利技术，特别适合果蔬汁、果酱或其浓缩产品、乳制品等其他粘稠性或非粘稠性流体的无菌充填灌装。包装袋采用铝塑复合无菌袋（5L-220L或1000L）。


无菌灌装机主要由无菌灌装系统、重量计量系统、滚轮输送系统、计算机PLC控制系统、标签在线打印系统（可选择项）和操作平台等组成。

使用蒸汽喷射方法对袋口和灌装室进行杀菌，以确保灌装室始终是处于无菌状态的，无菌袋口杀菌、开启、灌装和封口都在无菌环境下完成。

全不锈钢结构。

全自动PLC控制系统和人机界面操作系统，操作方便并能实时掌握和控制设备运行状况。

和套管式杀菌机同步进行CIP和SIP。



Incorporated Italian technology, work together with the tube in tube sterilizer, specially suitable for fruit/vegetable paste or juice or juice concentrate, dairy product and other high viscous or fluent product.

Mainly composed of aseptic filling system, electronic weighing system, roller conveying system, computer PLC control system, online label printing system(as optional), operation platform, etc.


Applicable to aluminum foil compound aseptic bag from 5L to 220Liter or 1000Liter by means of easy adjustment with simple change parts.

To ensure the aseptic circumstance in the filling chamber by means of steam barrier during the operation.

Full made of food sanitary stainless steel.

Full auto PLC control system, HMI(Human Machine Interface(English/Chinese) operation and manual buttons as standby, which can ensure the real-time monitoring the running situation.

Full auto CIP(clean in place) and SIP(sterilize in place) available simultaneously together with tube in tube sterilizer.



❖ 管式杀菌和无菌大袋灌装一体机 MONOBLOCK OF TUBULAR STERILIZER AND ASEPTIC BAG FILLER



后段小包装系统包括列管式杀菌机、小包装灌装封口设备（马口铁罐/玻璃瓶/塑料袋/塑料杯）、后巴氏杀菌器、吹干机、贴标机、喷码机等。
Include tubular sterilizer, small packaging machine (for tin can/glass bottle/plastic pouch/plastic cup), post-pasteurizer, air dryer, labeling machine, ink coder, etc.



❖ 列管式杀菌机
MULTI-TUBULAR STERILIZER



用于对物料进行包装前杀菌处理。
自动控制杀菌温度，多管式结构。
Used to sterilize the product before packing.
Auto control the sterilizing temperature, multi-tubular structure.

❖ 小包装灌装封口设备(马口铁罐/玻璃瓶/塑料袋/塑料杯)
SMALL PACKAGING MACHINE (for tin can/glass bottle/plastic pouch/plastic cup)



-马口铁罐灌装封口设备
FOR TIN CAN

马口铁罐灌装机（直线式、旋转式）
TIN CAN FILLER (linear or rotary style)



马口铁罐封口机
TIN CAN SEAMER



马口铁罐灌装封口一体机
TIN CAN FILLING AND SEAMING MONOBLOCK



-玻璃瓶灌装封盖设备
FOR GLASS BOTTLE


玻璃瓶灌装机
GLASS BOTTLE FILLER

和马口铁罐通用
Same as the filling machine for tin can.


玻璃瓶三（四）旋盖真空旋盖机
THREE (FOUR) TWIST VACUUM SCREW CAPPER.



-三边封或四边封塑料包装设备
FOR PLASTIC POUCH OR SACHET



-塑料杯包装设备
FOR PLASTIC CUP




❖ 后巴氏杀菌器 POST-PASTEURIZER

-间歇式杀菌釜
RETORT(in batch)



❖ 连续式杀菌冷却隧道 CONTINUOUS PASTEURIZE/COOLING TUNNEL



❖ 吹干、贴标、喷码设备 AIR DRYER/LABELING MACHINE/INK CODER



空气吹干机
Air dryer



贴标签机
Labeling machine



喷码机
Ink coder

用于以28-30%或36-30%大桶番茄浓缩酱为原料进行稀释，调配，脱气，均质来制作调配番茄酱、番茄沙司或番茄汁饮料。

系统包括水处理系统、调配罐、高速粉末混合器、溶糖罐、真空脱气机、胶体磨或均质机等。

Used to prepare tomato ketchup, tomato sauce or tomato juice drink from tomato paste concentrate with 28-30% brix or 36-38% brix as raw material or to prepare other fruit juice/paste/jam from juice concentrate through dilution, blending, deaeration and homogenization.

Include pure water treatment system, blending tank, rapid powder blender, rapid sugar dissolving tank, vacuum deaerator, colloid miller or high pressure homogenizer, etc.

❖ 水处理系统 PURE WATER TREATMENT SYSTEM



❖ 调配罐 BLENDING TANK



❖ 溶糖、配料、脱气均质系统 SUGAR OR OTHER INGREDIENTS DISSOLVING, DEAERATION AND HOMOGENIZATION SYSTEM





各种规格高品质番茄浓缩酱 SUPPLY HIGH QUALITY TOMATO PASTE


凭借自身在设备上和工程技术上的专业优势与新疆农八师141团在番茄原料规模种植上的优势进行强强联合，在新疆合资共同建造了日处理新鲜番茄1500吨规模的番茄酱厂，年产量达1.0万吨番茄酱。

给国内部分中小企业提供的番茄酱生产整线时，部分设备尾款是以回收番茄酱产品的形式作为补偿。

很多国内客户购买了我们的设备生产出的番茄酱由于销售渠道比较狭窄，直接委托我司代为开拓国际市场和代理销售。我们在提供高品质28-30%和36-38%浓缩番茄酱上，无论从数量上，质量上，还是价格上都具有很强的竞争力。

Supply high quality and big quantity of tomato paste concentrate (28-30%brix or 36-38%brix) with absolute competition based on the following points.

- By means of the own professionalism in tomato paste processing machinery and engineering, Shanghai JUMP incorporated a tomato paste plant with capacity of 1500tons fresh tomato fruit per day in Xinjiang province in strong alliance with 141 Regiment, 8 Division of China Agricultural Construction Corps which have predominance in mass production of tomato fruit. The annual output is up to 10,000 tons tomato paste concentrate.
- Doing buy-back business with some middle or small scale tomato paste processor.
- Directly authorized to explore the international market and for distribution by some of our customers due to their limited sales channel.



各种规格高品质番茄浓缩酱 SUPPLY HIGH QUALITY TOMATO PASTE

❖大包装番茄原酱（28-30%Brix或36-38%Brix）
28-30%Brix & 36-38%Brix TOMATO PASTE PACKED IN BUCK ASEPTIC BAG

-钢桶 (220Liters)
STEEL DRUM(220Liters)



-木制吨箱 (1000Liters)
WOODEN BIN(1000Liters)



- ❖ 马口铁罐装调配番茄酱(28-30%Brix, 22-24%Brix或其他浓度)
BLENDED TOMATO PASTE/SAUCE PACKED IN TIN CAN(28-30% ,22-24% or others)




- ❖ 其他包装番茄酱(28-30%Brix, 22-24%Brix或其他浓度)
BLENDED TOMATO PASTE/SAUCE PACKED IN OTHER
PACKAGE (28-30%, 22-24% or others)



原料种植 RAW MATERIAL PLANTING



专业加工设备 PROFESSIONAL PROCESSING MACHINERY




辅助设备 AUXILIARY FACILITIES



锅炉
STEAM BOILER



冷却水塔
COOLING TOWER



空气压缩机
AIR COMPRESSOR



试验设备
LAB EQUIPMENT



厂房土建
PLANT CIVIL CONSTRUCTION



地下水井
WATER WELL



发电机组
POWER GENERATOR



配电柜
POWER DISTRIBUTOR



电线电缆
ELECTRIC WIRES & CABLES



包装材料
PACKAGE MATERIAL



安装、维修工具
INSTALLATION & MAINTENANCE TOOLS

